



# DE 4000X

## BASIC

4 MOTORIZED  
ELECTRONIC BED







**DE 4000X BASIC** Cost-Effective Model is designed for especially long term care units as being 4 motorized fully function low electronic bed. DE 4000X which has 2000 mm lying surface is suitable also for the growing demand in the market. With its stylish appearance, it is designed for safety and comfort according to EN 60601-2-52 Standard.



## SPECIFICATIONS

- Easy to Use and Fully Featured Bed
- Low Height (38 cm)
- Backrest, Leg-rest, Height Adjustment, Trendelenburg and Reverse Trendelenburg Movements
- Auto Regression Backrest System (11 cm) to Improve Patient Comfort During Backrest Adjustment
- Polypropylene Side Rails and Bed Ends
- Angle Indicators on Side Rails
- Metal Mattress Platform
- Hand Remote Control Panel
- Epoxy Coated Metal Frame
- Patented Side Rail Mechanism
- Cross Lockable Castors
- Protective Plastic Corner Bumpers
- Drainage Bag Hooks at Both Side
- Height Adjustable I.V. Pole
- Foot Section Adjustment by Semi-Automatic Racks





## TECHNICAL DIMENSIONS

- **External Dimension:** 1080x2200 mm
- **Mattress Platform:** 900x2000 mm
- **Height (Without Mattress):** 380-780 mm
- **Back-Rest Angle:** 0-75°
- **Knee-Rest Angle:** 0-45°
- **Footrest Angle:** 0-30°
- **Trendelenburg/Reverse Trendelenburg:**  $\pm 16^\circ$
- **Castor Diameter:**  $\varnothing 125$  mm
- **Safe Working Load Capacity:** 230kg
- **Liquid Ingress Protection:** IPx66
- **Power:** 220V ~ 50/60 Hz
- **Electrical Shock Protection:** Class I, Type B

