



DE 4010 is designed for especially long term care units as being full function column motorized electronic bed. Thanks to its properties, it meets all the requirements of patients' and caregivers' in each hospital ward. With its stylish appearance, it is designed for safety and comfort according to EN 60601-2-52 Standard.

SPECIFICATIONS

- Column Motorized 4 Section
- Hand Remote Control Panel
- 70° Backrest Adjustment
- 30° Kneerest Adjustment
- CPR Function Manually Operated
- Polypropylene Bed Ends & Side Rails
- Electrically Equipotential for Safety
- Patented Side Rail Mechanism
- Electrically Operated Fowler Position
- ABS Bed Surface
- Stainless Steel I.V. Pole
- Four Corners Bumpers
- Central Lockable Castors
- Urine Bag Holder Both Sides
- Release Linear Actuator for Back Section

- Vascular Position Controlled with Gradual Mechanism
- Trendelenburg/Reverse Trendelenburg Position +16°/-16



+>><<+

TECHNICAL DIMENSIONS

- Bed Surface Dimension: Width 900 mm, Length 1900 mm
- Height: Min. 460 mm, Max. 850 mm (Up to Mattress Platform)
- External Dimension: Width 1100 mm, Length 2145 mm
- Standard Weight Capacity: 230 kg
- Central Lockable Castors: 125 mm

OPTIONAL PARTS

- Second I.V. Pole
- Nurse Control Panel
- X-Ray Cassette Holder
- Bed Extension up to 180 mm
- HPL Bed Surface for X-Ray
- Membrane Switches Control on the Boards
- Integrated Scale
- Orthopedic Hanger
- Trapeze Bar for Patient Lift







