

www.trinodal.com.tr



We are pleased to introduce our new DP 4010 – a more advanced and comprehensive version of our well-established DP 2010 model. The DP 4010 4-Motorized Column Pediatric Bed is specifically designed to ensure both maximum visibility and safety for pediatric patients, featuring plexiglass transparent side rails that offer clear visibility while providing secure protection. This model is engineered with long-term use in mind, offering exceptional durability, functionality, and ergonomic comfort for both patients and caregivers. The four-motorized column structure enables smooth and precise adjustments, supporting a wide range of clinical needs in pediatric care settings. Backrest, kneerest, height, Trendelenburg and Anti-trendelenburg movements are electronic. With its stylish appearance, it is designed for safety and comfort according to EN 60601-2-52 Standard.

SPECIFICATIONS

• Easily Cleanable Tranparent Plexiglass Side Rails with Mechanism

- 75° Backrest Angle
- 45° Kneerest Angle
- 16° Trendelenburg & 19° Anti- Trendelenburg Angle
- Electronic Backrest, Kneerest, Height Adjustment, Trendelenburg and Anti-Trendelenburg Movements
- 30° Footrest Angle with Semi-Automatic Racks
- 4 Section Metal Bed Platform
- Height Adjustable I.V. Pole
- PP Head and Foot Boards Detachable
- Epoxy Powder Coated Main Construction Steel Frame
- Urine Bag Holder Both Sides
- I.V. Pole Sockets at Four Corners
- Four Corner Bumpers
- 360° Swivel and Cross Lockable 125Ø Castors
- Hand Control Unit



TECHNICAL DIMENSIONS

- Outer Dimensions: Width 950 mm, Length 1695 mm
- Height Adjustment(Without Mattress): 510-860 mm

• Bed Surface Dimension: Width 700 mm, Length 1500 mm

• Castor Diameter: 125 mm (Cross lockable)

• Safety Working Load Capacity: 230 kg

OPTIONAL PARTS

- PP Side Rails
- HDPL Mattress Platform









www.trinodal.com.tr