DC 3030

GYNECOLOGIC & OBSTETRIC CHAIR

TRINODAL
PACESETTER FOR HEALTHCARE

Product Information Sheet

Suitable for gynecologic examination, combining functional, aesthetic and user-friendly characteristics for caregivers.



HAND CONTROL UNIT	HEIGHT ADJUSTMENT	BACKREST ANGLE	SAFE WORKING LOAD
	600–1050 mm	0–70°	210 kg



SPECIFICATION

- All Functions can be Remoted by Hand Control Unit
- Back-Rest Angle 70°
- Trendelenburg Angle for Seat Position 12°
- Height Adjustment 600-1050 mm
- Gynecological Leg Supports
- The Chair can be Flattened to Bed Position
- Full ABS Covered Base
- Paper Roll Holder
- Power Supply Tension: 240 V – 60 Hz
- Safety Working Load: 210 kg

OPTIONAL PARTS

Removable Stainless Steel Waste Container



Dimensions (W × L × H):
330 × 260 × 60 mm

Removable & Adjustable Arm Rest





Arm Rest Pad Dimensions (W × L):
110 × 330 mm
Adjustable: Height/Position/Rotation


TECHNICAL DATA


PARAMETER	VALUE
Height Adjustment	600–1050 mm
Back-Rest Angle	0-70 °
Trendelenburg Angle	0-12 °
Safe Working Load	210 kg
Power Supply	240 V / 60 Hz

TECHNICAL DIMENSIONS









TECHNICAL DIMENSIONS

